

SPECIFICATIONS

5.5 M³ HEAVY DUTY ORANGE PEEL GRAB







Extra Heavy Duty Mechanical Two Rope Orange Peel Grab**Specifications**

Manufacturer:	Verstegen Grijpers BV, The Netherlands
Execution :	Extra Heavy Duty, 2 rope operated for handling medium sized and big rocks
Shell execution :	6 pc. 3/4 in length closed shells
Capacity :	5.5m3
Empty Weight :	approx. 14.000 kg (14 ton)
WLL (capacity in tons) :	26 ton
SWL :	40 ton (max load + weight of the grab)
Diameter of closing rope :	ø36 mm
Diameter of closing rope sheaves :	ø720 mm
Closing rope-total length to operate :	30 m
Closing rope-withdraw to close :	15 m
Lever arms :	Extra Reinforced, Dillimax 690
Cable Guide Rollers :	Hardened
Upper and Lower Block :	Weldox 700
Shafts :	42CrMo4 surface hardened
Shells :	High wear resistance steel Hardox 450
Bearings shells :	Conical bushes
Sheaves :	S355J2G3
Bearings Sheaves :	Bronze bearings

Main dimensions

Height open	5.700	mm
Height closed	4.700	mm
Diameter closed	4.100	mm
Diameter open	5.300	mm





EG- Konformitätserklärung für (EG- Richtlinie 89/392/EWG, Anhang II, Buchstabe

Wir, Verstegen Grippers B.V.

Marconibaan 20, Nieuwegein, Niederlande.

Erklären gemäß unserer Verantwortung, das unser Produkt:

Greiffer	:	9553
Typ	:	PDS
Inhalt	:	5,8 M ³
Gewicht	:	14000 kg
Sichern	:	26,0 MTon
		zu man Maximum Schüttdichte 4,5 t/m ³
Baujahr	:	2005

Konform ist mit den einschlägigen Bestimmungen der
(89/392/EWG, einschließlich Änderungen 91/368/EWG, 93/44/EWG,


Die folgende nationale und internationale technische Normen und
Anwendung gelangten:
(Normen voor hijsgereedschappen staalkabels, 2e druk 1988) volgens de

Bei Änderungen am Greifer ohne unsere Zustimmung verlieren die
Ihre Gültigkeit.

Niederlande, 25 februari 2005


Hans Groeneveld

Direktor der Techniker



boekAirsthee-Vulsch-1